

COMPACT WHEEL LOADERS

L75, L85

Europe



INTRODUCTION B4502381-EN (09-22)

INTRODUCTION

BOBCAT'S HISTORY

In 1958, Melroe Manufacturing Company introduced a compact front-end loader that evolved quickly into the M400, the world's first true skid steer loader. The company soon adopted what became the world-famous 'Bobcat' brand – and its success paved the way for the global compact equipment industry we know today.

▶ IN EUROPE, FOR EUROPE

Compact wheel loaders are developed and manufactured at the same premises as other legendary Bobcat products.



BOBCAT TODAY

Bobcat loaders reshaped the agriculture and construction industries with a solution that is compact, maneuverable, productive and tough. Today, with the largest portfolio of loaders on the market, we continue the spirit of this pioneering product.



OUR MISSION

We empower operators to accomplish more, while working in the toughest conditions and tightest situations. When our customers have the will, we provide the way.

DESIGNED AROUND THE WAY YOU WORK

▶ POWERFUL YET ACCESSIBLE

With a stellar combination of high power, intuitive controls, operator comfort and ease of use, Bobcat's compact wheel loader is perfect for a multitude of tasks, whatever your business.



Handle even the most complex attachments thanks to Advanced Attachment Controls, 100 I/min high flow and wide selection of attachments. P.13



POCK-SOLID PERFORMANCE Powerful engine wid

Powerful engine, wide attachment selection, and a comfortable cab. With Bobcat's compact wheel loader, you complete every job efficiently



SMART AND INTUITIVE

Get started in seconds thanks to simple and intuitive controls. Even less experienced operators can get to work fast and with confidence.



applications

▶ FIRST-CLASS COMFORT

Stay comfortable thanks to a luxurious seat and 2-way adjustable steering column, while enjoying great visibility with a fully glass door.



▶ RELIABLE SUPPORT

Bobcat has your back with an extensive dealer network, a single service point for machine and engine and remote monitoring.

PERFORMANCE



OUTSTANDING PRODUCTIVITY

Equipped with a mighty engine and a powerful high flow option, Bobcat's compact wheel loader features high breakout forces paired with solid stability. Do more, get better results, and grow your business.

▶ TRULY MULTI-PURPOSE

Need to use more than the bucket for a specific job?
Choose from a large selection of compatible Bobcat loader attachments and a powerful High Flow option for up to 100 liters/minute.



• ONE LESS THING TO WORRY ABOUT


For the first time, 2 handy features from the automotive industry are applied to loaders. With Automatic Parking Brake and Slope Assist, the parking brake is engaged and disengaged seamlessly, just when you expect it.



▶ FULLY IN CONTROL

Let the machine become an extension of your hands thanks to an intelligent, ergonomic and intuitive control scheme, with all functions at your fingertips and many quality-of-life features.






STEP INSIDE



▶ SMOOTH RIDE

Our compact wheel loader was designed to ensure you stay comfortable day after day. The joystick console is firmly connected to the suspension seat - a unique solution on the market. This keeps the joystick stable in your hand and makes the ride easy and smooth, even on uneven terrain.



AT YOUR FINGERTIPS



Everything – from joystick to soft touch button console and jog shuttle wheel – is designed for optimal ease of use and positioned close at hand.

▶ FULLY ERGONOMIC



Easily adjust the position of the steering wheel, joystick and seat to what suits you best. Make your loader fit you like a glove.

▶ 5-INCH DISPLAY



Navigated with the jog shuttle, the LCD screen shows vital information and automatically switches to the rear-view camera's feed when reversing.



SERVICEABILITY & WARRANTY

BUILT TOUGH

▶ LEGACY OF INNOVATION

You'll always find quality materials and sturdy design in your Bobcat machine. This is as true with the time-proven world's most popular skid steer loader as it is with our new compact wheel loader. You can stake your reputation on the durability of our new equipment, built with the same reliable components as other Bobcat machines.

MADE TO KEEP YOU IN THE FIELD

We're continually improving the ease of servicing with features such as battery disconnect and automatic servicing reminders on the screen. Accessing servicing points and battery is easy and integrated greasing points minimize servicing time. If you do need to visit the shop, one service point for both machine and engine will bring you back to the field in no time.



General Purpose Bucket

3

▶ MACHINE IQ

BOBCAT® Machine IQ Wireless Communications enhances the support for your Bobcat machine.

- Durable built-in monitoring electronics
- Data is available to our machine monitoring specialist
- Maintenance is optimized for your business
- Data-driven services maximize uptime

STANDARD WARRANTY

Bobcat Company develops every machine to the highest standards of quality and durability. That's why our standard warranty provides 24 months or 2 000 operating hours (whichever occurs first) of coverage.



Easy access to service points

THERE'S NO TIME FOR DOWNTIME. STAND UP TO THE HARSHEST CONDITIONS. DAY AFTER DAY.



Light Material Bucket



▶ PROTECTION PLUS EXTENDED WARRANTY

Enjoy total peace of mind with a Protection Plus® extended warranty. Providing the same level of protection as the standard warranty, Protection Plus also reflects different customer needs and expectations by offering a choice of durations and annual operating hours. According to your needs, you can benefit from the coverage for up to 5 years or 6 000 engine hours. And Protection Plus is transferrable – so it will likely increase your machine's resale value.



▶ BOBCARE

A long-running machine starts with proper planned maintenance. And it helps protect against repair costs and unplanned failures when you're counting on your machine to work.

- Avoid risk by preventing major repairs and complete failures.
- Accomplish more by reducing downtime and increasing your productivity and profitability.

B4502381-EN (09-22)

CHOOSE YOUR ANIMAL

L75

Equipped with a 55 hp engine, the L75 is a versatile and comfortable loader with a tipping load of 2 564 kg. A heated cab, suspension seat, and other essential features come as standard, while a range of options allows you to build the machine around your needs.





L75 with Pallet forks

L85

▶ THE FULL PACKAGE FOR

MAXIMUM COMFORT

With a more powerful 68 hp engine, the L85 features an impressive tipping load of 3151 kg. Password protection, LED lights and other performance features come as standard and ensure great comfort and outstanding productivity.





L85 with Angle broom

STANDARD EQUIPMENT & OPTIONS

	L75	L85
PERFORMANCE		
Advanced Attachment Controls	-	~
Automatic Ride Control		•
Bucket level indicator		./
High flow		•
Standard flow	_	
ROAD	~	<u> </u>
Brakes German		
Brakes standard	~	~
Road package	•	•
Speed 20 km/h	~	~
Speed 30 km/h	•	•
CAB		
12V charging port	~	~
5-inch display with jog shuttle	~	~
Cloth suspension seat	~	~
Fire extinguisher	•	•
Front window sun shade	-	~
Heater	~	~
HVAC	•	•
Key ignition	~	-
Key ignition with password	~	✓
Radio ready	•	~
Storage compartment under seat	~	-
Lockable storage compartment under seat	-	~
USB charging port	-	~
WHEELS		
Wheels 335/80 R18	•	•
Wheels 365/70 R18	~	•
Wheels 405/70 R18	•	~
Wheels 405/70 R20	•	•
LIGHTS & BEACON		
Beacon	•	•
Road lights halogen	~	~
Road lights LED	•	•
Work lights halogen	~	-
Work lights LED	•	~
MISCELLANEOUS		
Backup alarm	•	
Bobcat telematics europe	~	V
Grease gun holder	_	./
Power Quicktach	_	./
Rear view camera	•	
		· ·
Wax coat treatment	~	~

^{• =} option \checkmark = standard - = not available or not compatible

▶ PERSONALIZE YOUR MACHINE

Sometimes, we all want to add a specific functionality or a personal touch to the machine. Choose from a list of comprehensive options and customize your compact wheel loader to your heart's content!





Air conditioning (HVAC)







Rear-view camera

Road lights LED








Speed 30 km/h

Automatic Ride Control

High Flow





FEATURES B4502381-EN (09-22)

MULTI-TOOL CARRIER

BOBCAT ATTACHMENTS

Get more versatility and efficiency with Bobcat attachments and implements.

ATTACHMENTS			
	L75	L85	
Adapter from Quicktach to Bob-Tach	•	•	
Angle broom 84, Reversible, 213 cm	-	•	
Soil and asphalt spreader	-	•	
Bucket General Purpose, 190 cm, 650 l	•	•	
Bucket, General Purpose, 190 cm, 800 l			
Bucket, Light Material, 190 cm, 1 050 l	•	•	
Bucket, Light Material, 190 cm, 1 250 l	•	•	
Combination bucket 190 cm, 550 l	•	•	
Combination bucket 190 cm, 700 l	•	•	
Mixing bucket MB250SD	-	•	
Pallet Forks		•	
Snow Blade, HD, 244 cm	•	•	
Snowpusher, 244 cm	•	•	
Snowpusher, 300 cm	•	•	
Snow V-blade, 213 cm	•	•	





Quicktach coupler (installed as standard)



Quicktach to Bob-Tach adapter (required for all attachments except buckets and pallet forks)



Angle broom



Snow blower



Pallet forks



General purpose bucket

PRECISION OR SPEED? WE SAY BOTH.

CONTROLS TAILORED TO YOUR NEEDS

With traditional controls you can have speed or precision, but not both. Until now. Our revolutionary selectable dual control system allows you to work with just the right precision or speed, when you need it.

STANDARD CONTROLS TO LOAD AND CARRY

You will immediately feel at home during loading and handling applications. Thanks to the standard travel control mode, when the machine speed is controlled by the gas pedal, working with a bucket or a pallet fork is familiar and intuitive. What's more, switching from forward to reverse is now even more convenient than before: the FNR switch, located on the front side of the joystick, stays close to your index finger the whole time.



► ADVANCED ATTACHMENT CONTROLS

When using advanced attachments like an angle broom or a snow blower, you can take advantage of Bobcat's unique Advanced Attachment Control mode. At the press of a button, the throttle control dial controls the speed of the attachment alone (independent of the machine's travel speed, which is controlled by the gas pedal with a convenient speed limiter feature). Additionally, you can control up to 4 functions of the attachment thanks to a conveniently located auxiliary control panel.







SPECIFICATIONS


SPECIFICATIONS

SPECIFICATIONS			
	L75	L85	
WEIGHTS			
Operating weight, standard (ISO 6016)	4 635 kg	5 091 kg	
Shipping weight, standard (ISO 6016)	4 218 kg	4 674 kg	
Max. front axle load	8 400 kg 6 000 kg		
Max. rear axle load	6 000 kg		
ENGINE			
Model	Bobcat Eng	ine D24 V2	
Compliance	Stag	ge V	
Cooling	Liq	Liquid	
Fuel	Die	Diesel	
Power at 2 600 RPM (ISO 14396)	55 hp / 41 kW	68 hp / 50.7 kW	
HYDRAULIC SYSTEM			
System relief @ quick couplers	20.5	20.5 MPa	
Auxiliary standard flow	75.40 l/min		
Auxiliary high-flow	-	103.5 l/min	
PERFORMANCE WITH BUCKET			
Bucket capacity	0.8	0.8 m³	
Bucket range	0.6 – 1.2 m³		
Tipping load, straight (ISO 14397-1)	2 953 kg	3 801 kg	
Tipping load, articulated at 40° (ISO 14397-1)	2 564 kg	3 151 kg	
Rated operating capacity (ISO 14397-1)	1 477 kg	1 901 kg	
Lift breakout force (ISO 14397-2)	4 023 kg	4 978 kg	
Lift capacity (ISO 14397-2)	2 064 kg	2 312 kg	
PERFORMANCE WITH PALLET FORK			
Tipping load, straight (ISO 14397-1)	2 349 kg	2 910 kg	
Tipping load, articulated at 40° (ISO 14397-1)	1 985 kg	2 451 kg	
DRIVE SYSTEM			
Main drive	Proportionally regulat	Proportionally regulated hydrostatic motor	
Transmission	Hydrostatic with el	Hydrostatic with electronic regulation	
CONTROLS			
Vehicle steering	Machine articulation via hydrau	Machine articulation via hydraulic steering with steering wheel	
Travel direction	Travel direction switch (F-N-R) on joystick. Drive pedal in work and travel mode		
Machine hydraulics	Dual axis joystick for lift and tilt and auxiliary		
Vehicle braking	Combination of integrated 6 wet brake discs in rear axle with hydrostatic braking effect provision		

DIMENSIONS – BUCKET







DIMENSIONS – BUCKET		
Dimensions	L75	L85
A	2 473	2 497
В	402	427
C	2 100	2 100
D	5 471	5 453
E	714	686
F	125	100
G	2 483	2 508
1	3 225	3 250
J	32.1°	33.4°
K	4 280	3 830
L	2 001	1 986
M	1 900	1 900
N	1 410	1 393
0	1 770	1 800
P	40°	40°
Q	45°	45°

DIMENSIONS – PALLET FORK		
	L75	L85
R	5 999	5 979
RR1	4 262 – 4 473	
S	844	796
T	1 306	1 278
V	1 349	1 374
W	3 075	3 100
WW3	774 – 1 314	
X	470	442

Unit: mm

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors. Pictures of Bobcat units may show other than standard equipment.

FINANCING OPTIONS

24, 36, OR 48 MONTH FINANCING*

Take advantage of 24, 36 or 48 month financing programs starting from 0% interest and improve your cashflow. Ask your dealer for the financing offers available.

100 MACHINES / 150 ATTACHMENT FAMILIES / 1 TOUGH ANIMAL



SKID-STEER LOADERS



COMPACT TRACK LOADERS



COMPACT WHEEL LOADERS



SMALL ARTICULATED LOADERS



TELEHANDLERS



ROTARY TELEHANDLERS



LIGHT COMPACTION EQUIPMENT



MINI TRACK LOADER



COMPACT EXCAVATORS



ATTACHMENTS

Bobcat



